

Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

## HFR-1 H-Field Rod Antenna 100 Hz - 100 KHz

For applications where high sensitivity is required,
A. H. Systems set of H-Field Rods provides an accurate standard for magnetic field testing.



Frequency Range: 100 Hz - 100 KHz

Impedance:  $50 \Omega$ 

Connector: N-Type, male

**Physical Dimensions** 

Dimensions: 2.3" Dia. X 15.6" (5.8 cm x 39.6 cm)

Weight (with EHA-50B): 5 lb.'s (2.3 kg)

## **Features**

- High Sensitivity Magnetic Field Testing
- Individually Calibrated
- Compact & Lightweight
- Three Year Warranty

The A.H.Systems' H-Field Rod Antenna operates efficiently over the frequency range of 100 Hz to 100 KHz. It is suitable for MIL-STD, VDE, and TEMPEST testing, with reliable, repeatable measurements.

## **Recommended Accessories**

- EHA-50B (H-Field Rod matching preamplifier)
- SAC-210 (BNC/BNC RF Cable)

Tel: (818) 998-0223 Fax: (818) 998-6892 sales@AHSystems.com www.AHSystems.com

A.H. Systems, inc. 9710 Cozycroft Ave. Chatsworth, CA 91311 818.998.0223 fax 818.998.6892

Calibration, H-Field Rod Antenna

